

ECROUS NOYES RIVKLE®

HEXAGONAL /ACIER

	Tête	Fût	M4	M5	M6	M8	M10	M12
	Fine	Ouvert	0.5 - 3.0	0.5 - 3.0	0.5 - 3.5	0.7 - 3.5	1.0 - 3.5	1.0 - 4.0
			3.0 - 5.5	3.0 - 5.5	3.5 - 6.0	3.5 - 6.0	3.0 - 6.0	4.0 - 8.0
		Borgne	0.5 - 2.0	0.5 - 3.0	0.5 - 3.5	0.5 - 3.5 3.5 - 6.0	3.0 - 6.0	

Epaisseur à sertir mm

	Plate	Ouvert	0.5 - 2.0	0.5 - 3.0	0.5 - 3.0	0.5 - 3.0	1.0 - 3.5	1.0 - 4.0
				2.5 - 4.5	3.0 - 5.5	3.0 - 5.5	3.5 - 6.0	
		Borgne	0.5 - 2.0	0.5 - 3.0	0.5 - 3.0	0.5 - 3.0 3.0 - 5.5	1.0 - 3.5	

SEMI HEXAGONAL /ACIER

	Tête	Fût	M4	M5	M6	M8
	Fine	Ouvert	0.5 - 3.0	0.5 - 3.0	0.5 - 3.0	0.5 - 3.0

Epaisseur à sertir mm

	Plate	Ouvert	0.5 - 3.0	0.5 - 3.0	0.5 - 3.0	0.5 - 3.0
---	-------	--------	-----------	-----------	-----------	-----------

SEMI HEXAGONAL /INOX

	Tête	Fût	M3	M4	M5	M6	M8	M10	M12
	Fine	Ouvert	1.0 - 2.3	0.5 - 2.0	0.5 - 3.0	0.5 - 3.0	0.5 - 3.0	1.0 - 3.5	1.0 - 4.5
			2.3 - 3.2	0.8 - 3.0					
		Borgne	0.5 - 2.5	0.5 - 2.5	0.5 - 3.0	0.5 - 3.0			

Epaisseur à sertir mm

	Plate	Ouvert et borgne	1.0 - 2.3	0.5 - 2.0	0.5 - 3.0	0.5 - 3.0	0.5 - 3.0	1.0 - 3.5	1.0 - 4.5
			2.3 - 3.0	2.0 - 3.5	2.0 - 4.0	3.0 - 4.5	3.0 - 5.5	3.5 - 5.5	

ISO Métrique	M3	M4	M5	M6	M8	M10	M12
Ø de perçage	5.0	6.0	7.0	9.0	11.0	13.0	16.0